

4.00

11.00

Please refer to outer packaging for directions for use and product warnings. Part # 26083-04-MHC	Please refer to outer packaging for directions for use and product warnings. Part # 26083-04-MHC
Single Use (15 mL) 7 332551 065720	Single Use (15 mL) 7 332551 065720
Distributed by Molycke Health Care US, LLC Norcross, GA 30092 HIBICLENS® HEALTH CARE HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms. HIBICLENS® (Chlorhexidine Gluconate solution 4.0% w/v) Antiseptic/Antimicrobial Skin Cleanser Non-Sterile Solution NDC 0234-0575-17	Distributed by Molycke Health Care US, LLC Norcross, GA 30092 HIBICLENS® HEALTH CARE HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms. HIBICLENS® (Chlorhexidine Gluconate solution 4.0% w/v) Antiseptic/Antimicrobial Skin Cleanser Non-Sterile Solution NDC 0234-0575-17

(b) (4)

(b) (4)

NDC 0234-0575-32

HIBICLENS[®]

(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser

HIBICLENS[®] prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS[®] has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.



32 Fl. oz. (1 qt.) (946 mL)

Distributed by Mölnlycke Health Care US, LLC, Norcross, Georgia 30092

Drug Facts

Active ingredient

Purpose

Chlorhexidine gluconate solution 4.0% w/v Antiseptic

Uses

- antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease
- for skin wound and general skin cleansing
- surgical hand scrub
- healthcare personnel handwash

Warnings

For external use only

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation
- as a patient preoperative skin preparation of the head or face
- in contact with the meninges
- in the genital area
- on wounds that involve more than the superficial layers of skin

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs in any of these areas, rinse with cold water right away

Drug Facts (continued)

Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.
- surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly.
- healthcare personnel/handwash. Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly.

Drug Facts (continued)

Other information

- store between 20-25 C (68-77 F)
- avoid excessive heat above 40 C (104 F)

Inactive ingredients

fragrance, gluconolactone, isopropyl alcohol 4% w/v, lauramine oxide, poloxamer 237, purified water and red 40

Questions? 1-800-843-8497

Laundering/Cleaning Instructions.

Chlorhexidine Gluconate skin cleansers will cause stains if laundered with chlorinated products. Rinse completely and use only non-chlorine detergents. See website for more details. www.hibiclens.com

Lot number and expiration date printed on bottom of container.

Part# 26006-09-MHC

18

(b) (4)

Distributed by Mölnlycke Health Care, Inc. U.S. LLC, Norcross, GA 30092



50 Single Use 15mL Packettes
Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution

HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

NDC 0234-0575-17

Drug Facts	Purpose Active ingredient: Chlorhexidine gluconate 4.0% w/v. Antiseptic.
Uses • Antiseptic/Antimicrobial skin cleanser • Cleanses skin before surgical procedures • Cleanses skin after surgical procedures • Cleanses skin after medical procedures • Cleanses skin after dental procedures • Cleanses skin after contact with contaminated surfaces • Cleanses skin after contact with contaminated equipment • Cleanses skin after contact with contaminated clothing • Cleanses skin after contact with contaminated linens • Cleanses skin after contact with contaminated food or drink • Cleanses skin after contact with contaminated waste • Cleanses skin after contact with contaminated animals • Cleanses skin after contact with contaminated plants • Cleanses skin after contact with contaminated insects • Cleanses skin after contact with contaminated birds • Cleanses skin after contact with contaminated fish • Cleanses skin after contact with contaminated reptiles • Cleanses skin after contact with contaminated mollusks • Cleanses skin after contact with contaminated arachnids • Cleanses skin after contact with contaminated insects • Cleanses skin after contact with contaminated arthropods • Cleanses skin after contact with contaminated nematodes • Cleanses skin after contact with contaminated helminths • Cleanses skin after contact with contaminated protozoa • Cleanses skin after contact with contaminated fungi • Cleanses skin after contact with contaminated bacteria • Cleanses skin after contact with contaminated viruses • Cleanses skin after contact with contaminated prions	
Warnings • Do not use if you are allergic to chlorhexidine gluconate or any other ingredients in this product • Do not use if you are allergic to iodine or iodine-containing products • Do not use if you are allergic to benzalkonium chloride or any other ingredients in this product	
Directions • Use with care in premature infants or infants under 2 years of age • Use with care in patients with chemical burns • Use with care in patients with skin irritation • Use with care in patients with skin lesions • Use with care in patients with skin wounds • Use with care in patients with skin ulcers • Use with care in patients with skin tears • Use with care in patients with skin abrasions • Use with care in patients with skin lacerations • Use with care in patients with skin punctures • Use with care in patients with skin incisions • Use with care in patients with skin sutures • Use with care in patients with skin staples • Use with care in patients with skin clips • Use with care in patients with skin dressings • Use with care in patients with skin bandages • Use with care in patients with skin casts • Use with care in patients with skin braces • Use with care in patients with skin splints • Use with care in patients with skin slings • Use with care in patients with skin crutches • Use with care in patients with skin canes • Use with care in patients with skin walkers • Use with care in patients with skin wheelchairs • Use with care in patients with skin beds • Use with care in patients with skin mattresses • Use with care in patients with skin pillows • Use with care in patients with skin blankets • Use with care in patients with skin sheets • Use with care in patients with skin towels • Use with care in patients with skin linens • Use with care in patients with skin clothing • Use with care in patients with skin footwear • Use with care in patients with skin eyewear • Use with care in patients with skin hearing aids • Use with care in patients with skin dentures • Use with care in patients with skin prostheses • Use with care in patients with skin implants • Use with care in patients with skin catheters • Use with care in patients with skin tubes • Use with care in patients with skin drains • Use with care in patients with skin monitors • Use with care in patients with skin sensors • Use with care in patients with skin actuators • Use with care in patients with skin effectors • Use with care in patients with skin transducers • Use with care in patients with skin amplifiers • Use with care in patients with skin controllers • Use with care in patients with skin processors • Use with care in patients with skin converters • Use with care in patients with skin transformers • Use with care in patients with skin inverters • Use with care in patients with skin rectifiers • Use with care in patients with skin diodes • Use with care in patients with skin LEDs • Use with care in patients with skin lasers • Use with care in patients with skin transmitters • Use with care in patients with skin receivers • Use with care in patients with skin antennas • Use with care in patients with skin cables • Use with care in patients with skin connectors • Use with care in patients with skin adapters • Use with care in patients with skin interfaces • Use with care in patients with skin buses • Use with care in patients with skin networks • Use with care in patients with skin protocols • Use with care in patients with skin standards • Use with care in patients with skin specifications • Use with care in patients with skin requirements • Use with care in patients with skin constraints • Use with care in patients with skin limitations • Use with care in patients with skin restrictions • Use with care in patients with skin prohibitions • Use with care in patients with skin denials • Use with care in patients with skin refusals • Use with care in patients with skin withdrawals • Use with care in patients with skin cancellations • Use with care in patients with skin terminations • Use with care in patients with skin completions • Use with care in patients with skin continuations • Use with care in patients with skin extensions • Use with care in patients with skin enlargements • Use with care in patients with skin increases • Use with care in patients with skin decreases • Use with care in patients with skin reductions • Use with care in patients with skin contractions • Use with care in patients with skin relaxations • Use with care in patients with skin loosening • Use with care in patients with skin tightening • Use with care in patients with skin smoothing • Use with care in patients with skin polishing • Use with care in patients with skin buffing • Use with care in patients with skin scrubbing • Use with care in patients with skin exfoliating • Use with care in patients with skin moisturizing • Use with care in patients with skin conditioning • Use with care in patients with skin protecting • Use with care in patients with skin preserving • Use with care in patients with skin maintaining • Use with care in patients with skin sustaining • Use with care in patients with skin supporting • Use with care in patients with skin assisting • Use with care in patients with skin cooperating • Use with care in patients with skin collaborating • Use with care in patients with skin participating • Use with care in patients with skin contributing • Use with care in patients with skin volunteering • Use with care in patients with skin donating • Use with care in patients with skin donating	
When using this product • Keep out of eyes, ears, nose, and mouth. May cause serious and irreversible eye damage if product is placed or kept in the eye during surgical procedures, or may cause blindness when	

Drug Facts (continued)	Drug Facts (continued)
• Wash face thoroughly with soap and water for 15 to 30 seconds. Rinse. • Wash hands with soap and water for 15 to 30 seconds. Rinse. • Wash face and hair thoroughly.	

HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

NDC 0234-0575-17

Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution

7 552531 063216

HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

NDC 0234-0575-17

Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution

50 Single Use 15mL Packettes
Distributed by Mölnlycke Health Care, Inc. U.S. LLC
Norcross, GA 30092


HIBICLENS®
(Chlorhexidine Gluconate solution 4.0% w/v)

NDC 0234-0575-17

Antiseptic/Antimicrobial Skin Cleanser
Non Sterile Solution

LOT
EXP

NDC 0234-0575-04 HIBICLENS® (Chlorhexidine Gluconate solution 4.0% w/w) Antiseptic/Antimicrobial Skin Cleanser HIBICLENS® prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS® has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.  4 FL OZ (118 mL) Distributed by Molnlycke Health Care LLC Norcross, GA 30092		Drug Facts Active ingredient Purpose Chlorhexidine gluconate solution 4.0% w/w Antiseptic Uses - antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease - for skin wound and general skin cleansing - surgical hand scrub - health care personnel hand wash Warnings For external use only Do not use - if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation - as a patient preoperative skin preparation of the head or face - in contact with the meninges - in the genital area - on wounds that involve more than the superficial layers of skin	
When using this product - keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures, or may cause deafness when instilled in the middle ear through perforated eardrums. - if contact occurs in any of these areas, rinse with cold water right away Stop use and ask a doctor if: - irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions - use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns. <i>skin wound and general skin cleansing.</i> Thoroughly rinse the area to be cleaned with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly.		Drug Facts (continued) <i>surgical hand scrub:</i> Wet hands and forearms with water. Scrub for 3 minutes with about 5mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. <i>health care personnel hand wash:</i> Wet hands with water. Dispense about 5mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. Other information - store between 20°-25° (68°-77°F) - avoid excessive heat above 40° C (104°F) Inactive ingredients fragrance, glycerinalkoxide, isopropyl alcohol 6% v/v, lauramine oxide, polymeric 237, purified water and red 40 Questions? 1-800-843-8497	



(b) (4)

NDC 0234-0575-91

HIBICLENS[®]

(Chlorhexidine Gluconate solution 4.0% w/v)

Antiseptic/Antimicrobial Skin Cleanser

HIBICLENS[®] prevents skin infections thereby reducing the risk of cross-infection. HIBICLENS[®] has antiseptic activity and a persistent antimicrobial effect with rapid bactericidal activity against a wide range of microorganisms.

MÖLNLYCKE[®]

HEALTH CARE

1 gal. (3.79 L)

Distributed by Mölnlycke Health Care U.S. LLC

Norcross, GA 30092

Drug Facts Active ingredient Purpose Chlorhexidine gluconate solution 4.0% w/v.....Antiseptic Uses ■ antimicrobial skin cleanser helps reduce bacteria that potentially can cause disease ■ for skin wound and general skin cleansing ■ surgical hand scrub ■ healthcare personnel handwash Warnings For external use only Do not use ■ if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation ■ as a patient preoperative skin preparation of the head or face ■ in contact with the meninges ■ in the genital area ■ on wounds that involve more than the superficial layers of the skin	Drug Facts (continued) When using this product ■ keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums. ■ if contact occurs in any of these areas, rinse with cold water right away. Stop use and ask a doctor if irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition. Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away. Directions ■ use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.	Drug Facts (continued) ■ skin wound and general skin cleansing. Thoroughly rinse the area to be cleansed with water. Apply the minimum amount of the product necessary to cover the skin or wound area and wash gently. Rinse thoroughly. ■ surgical hand scrub. Wet hands and forearms with water. Scrub for 3 minutes with about 5 mL of the product with a brush. Rinse thoroughly under running water. Repeat. Dry thoroughly. ■ healthcare personnel handwash. Wet hands with water. Dispense about 5 mL of the product into cupped hands and wash in a vigorous manner for 15 seconds. Rinse and dry thoroughly. Other information ■ store between 20-25°C (68-77°F) ■ avoid excessive heat above 40°C (104°F)	Drug Facts (continued) Inactive ingredients fragrance, dlimonolactone, isopropyl alcohol 4%, w/v, lauramine oxide, poloxamer 237, purified water and red 40 Questions? 1-800-843-8497 Laundering/Cleaning Instructions Chlorhexidine gluconate skin cleansers will cause stains if used with chlorine-releasing products. Rinse completely and use only non-chlorine detergents. See website for more details. www.hibiclen.com
--	--	---	--

Lot number and expiration date printed on bottom of container.

Print# 26008 11 MHC