


STANDARD FORMAT

TYPE SIZES:
TITLE: 9 pt Helvetica Bold Cond. Oblique
TITLE (continued): 7.5 pt Helvetica Bold Cond. Oblique
(continued) 7.5 pt Helvetica Medium Cond.
HEADINGS: 8 pt Helvetica Bold Cond. Oblique
SUBHEADINGS: 6 pt Helvetica Bold Cond. Oblique
TEXT: 6 pt Helvetica Medium Cond.
LEADING: 6.5 pt
BULLETS: 5 pt Square with 2 M'S spacing between statements
TELEPHONE #: 6.5 pt Helvetica Bold Cond.
HEAVY LINES: 1.5 pt
HAIRLINES: 0.5 pt


D MENSIONS: 117 x 17 x 90 mm



STANDARD FORMAT

TYPE SIZES:
TITLE: 9 pt Helvetica Bold Cond. Oblique
TITLE (continued): 7.5 pt Helvetica Bold Cond. Oblique
(continued) 7.5 pt Helvetica Medium Cond.
HEADINGS: 8 pt Helvetica Bold Cond. Oblique
SUBHEAD NGS: 6 pt Helvetica Bold Cond. Oblique
TEXT: 6 pt Helvetica Medium Cond.
LEADING: 6.5 pt
BULLETS: 5 pt Square with 2 M'S spacing between statements
TELEPHONE #: 6.5 pt Helvetica Bold Cond.
HEAVY LINES: 1.5 pt
HAIRLINES: 0.5 pt

D MENSIONS: 117 x 17 x 90 mm



STANDARD FORMAT

TYPE SIZES:
TITLE: 9 pt Helvetica Bold Cond. Oblique
TITLE (continued): 7.5 pt Helvetica Bold Cond. Oblique
(continued) 7.5 pt Helvetica Medium Cond.
HEADINGS: 8 pt Helvetica Bold Cond. Oblique
SUBHEAD NGS: 6 pt Helvetica Bold Cond. Oblique
TEXT: 6 pt Helvetica Medium Cond.
LEADING: 6.5 pt
BULLETS: 5 pt Square with 2 M'S spacing between statements
TELEPHONE #: 6.5 pt Helvetica Bold Cond.
HEAVY LINES: 1.5 pt
HAIRLINES: 0.5 pt

D MENSIONS: 117 x 17 x 90 mm

Esomeprazole

Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

Treats Frequent Heartburn!
24 HR

Melts in your mouth
Dissolves without water

Two 14-day courses of treatment
May take 1 to 4 days for full effect

Wildberry Flavor

Tips for Managing Heartburn

- Avoid foods or drinks that are more likely to cause heartburn, such as rich, spicy, fatty and fried foods, chocolate, caffeine, alcohol and even some acidic fruits and vegetables.
- Eat slowly and do not eat big meals.
- Do not eat late at night or just before bedtime.
- Do not lie flat or bend over soon after eating.
- Raise the head of your bed.
- Wear loose-fitting clothing around your stomach.
- If you are overweight, lose weight.
- If you smoke, quit smoking.

Drug Facts (continued)

Inactive ingredients acetone, alcohol, amino methacrylate copolymer, ascorbic acid, benzyl alcohol, cetyl alcohol, colloidal silicon dioxide, crospovidone, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, flavor, hypromellose, hypromellose phthalate, isopropyl alcohol, mannitol, microcrystalline cellulose, modified starch, polysorbate 80, pregelatinized starch, silicon dioxide, sodium stearate, sodium stearyl fumarate, sorbitol, sucralose, sugar spheres, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments? 1-800-XXX-XXXX weekdays XXX AM to XXX PM EST

Compare to the active ingredient in Nexium® 24HR*

MELTech™ Melts In Your Mouth

NDC 64239-112-08

Made in Israel
Manufactured by:
Dexcel Pharma Technologies Ltd,
10 Hakidma St. Yokneam 2089200, Isra el

*This product is not manufactured or distributed by GSK distributor of Nexium® 24HR

Batch No
EXP

000000000000

STANDARD FORMAT

TYPE SIZES:

TITLE: 9 pt Helvetica Bold Cond. Oblique

TITLE (continued): 7.5 pt Helvetica Bold Cond. Oblique
(continued) 7.5 pt Helvetica Medium Cond.

HEADINGS: 8 pt Helvetica Bold Cond. Oblique

SUBHEADINGS: 6 pt Helvetica Bold Cond. Oblique

TEXT: 6 pt Helvetica Medium Cond.

LEADING: 6.5 pt

BULLETS: 5 pt Square with 2 M'S spacing between statements

TELEPHONE #: 6.5 pt Helvetica Bold Cond.

HEAVY LINES: 1.5 pt

HAIRLINES: 0.5 pt

DIMENSIONS: 120 x 42 x 94 mm

No
Lacquer →

← No Lacquer

Compare to the active ingredient in Nexium® 24HR*

Treats Frequent Heartburn!

Delayed Release

Orally Disintegrating Tablets 20 mg

Acid Reducer

Melts in your mouth

Dissolves without water

Two 14-day courses of treatment

May take 1 to 4 days for full effect

Wildberry Flavor

Actual size

28 TABLETS

Esomeprazole

MELTech™

Melts In Your Mouth

Batch No

EXP

Compare to the active ingredient in Nexium® 24HR*

Treats Frequent Heartburn!

Delayed Release

Orally Disintegrating Tablets 20 mg

Acid Reducer

Melts in your mouth

Dissolves without water

Two 14-day courses of treatment

May take 1 to 4 days for full effect

Wildberry Flavor

Actual size

28 TABLETS

Esomeprazole

MELTech™

Melts In Your Mouth

Batch No

EXP

Compare to the active ingredient in Nexium® 24HR*

Treats Frequent Heartburn!

Delayed Release

Orally Disintegrating Tablets 20 mg

Acid Reducer

Melts in your mouth

Dissolves without water

Two 14-day courses of treatment

May take 1 to 4 days for full effect

Wildberry Flavor

Actual size

28 TABLETS

Esomeprazole

MELTech™

Melts In Your Mouth

Batch No

EXP

Compare to the active ingredient in Nexium® 24HR*

Treats Frequent Heartburn!

Delayed Release

Orally Disintegrating Tablets 20 mg

Acid Reducer

Melts in your mouth

Dissolves without water

Two 14-day courses of treatment

May take 1 to 4 days for full effect

Wildberry Flavor

Actual size

28 TABLETS

Esomeprazole

MELTech™

Melts In Your Mouth

Batch No

EXP

Compare to the active ingredient in Nexium® 24HR*

Treats Frequent Heartburn!

Delayed Release

Orally Disintegrating Tablets 20 mg

Acid Reducer

Melts in your mouth

Dissolves without water

Two 14-day courses of treatment

May take 1 to 4 days for full effect

Wildberry Flavor

Actual size

28 TABLETS

Esomeprazole

MELTech™

Melts In Your Mouth

Batch No

EXP

Compare to the active ingredient in Nexium® 24HR*

Treats Frequent Heartburn!

Delayed Release

Orally Disintegrating Tablets 20 mg

Acid Reducer

Melts in your mouth

Dissolves without water

Two 14-day courses of treatment



KEEP THE CARTON
IT CONTAINS IMPORTANT INFORMATION

Safety Feature – Do not use if printed
tablet blister unit is open or torn.

Esomeprazole
Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

Drug Facts

Active ingredient (in each tablet) **Purpose**
Esomeprazole 20 mg. Acid reducer
(Each delayed-release orally disintegrating tablet corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Uses

- treats frequent heartburn (occurs 2 or more days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings
Allergy alert:

- Do not use if you are allergic to esomeprazole.
- Esomeprazole may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash

 If an allergic reaction occurs, stop use and seek medical help right away.

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

 These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

- taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens

Drug Facts (continued)

- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- take 1 tablet before eating in the morning
- do not crush or chew tablets
- place the tablet on tongue; tablet disintegrates, with or without water.

 The tablets can also be swallowed whole with water.

- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- do not take this medicine with alcohol

Repeated 14-Day Course (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor

- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F); keep product out of high heat and moisture
- store in the original package

STANDARD FORMAT

TYPE SIZES:

TITLE: 12 pt Helvetica Bold Cond. Oblique

TITLE (continued): 7.5 pt Helvetica Bold Cond. Oblique (continued) 7.5 pt Helvetica Medium Cond.

HEADINGS: 8 pt Helvetica Bold Cond. Oblique

SUBHEADINGS: 6 pt Helvetica Bold Cond. Oblique

TEXT: 6 pt Helvetica Medium Cond.

LEADING: 6.5 pt

BULLETS: 5 pt Square with 2 M'S spacing between statements

TELEPHONE #: 6.5 pt Helvetica Bold Cond.

HEAVY LINES: 1.5 pt

HAIRLINES: 0.5 pt

DIMENSIONS: 120 x 42 x 94 mm

No
Lacquer →

← No
Lacquer

Batch No
EXP

Actual size

Wildberry Flavor

Three 14-day courses of treatment
May take 1 to 4 days for full effect

42 TABLETS

Melts in your mouth
Dissolves without water

Acid Reducer

Delayed Release
Orally Disintegrating Tablets 20 mg

Esomeprazole

Treats Frequent Heartburn
24 HR

Compare to the active ingredient
in Nexium® 24HR*

MELTech™
Melts In Your Mouth

NDC 64239-112-04

IT CONTAINS IMPORTANT INFORMATION.
KEEP THE CARTON.

Safety Feature – Do not use if printed
tablets or units open or torn.

Esomeprazole
Delayed Release
Orally Disintegrating Tablets 20 mg
Acid Reducer

D-42

Drug Facts

Active ingredient (in each tablet)
Esomeprazole 20 mg.
(Each delayed-release orally disintegrating tablet corresponds to 22.3 mg esomeprazole magnesium trihydrate)

Purpose
Acid reducer

Uses
■ treats frequent heartburn (occurs 2 or more days a week)
■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings
Allergy alert:
■ Do not use if you are allergic to esomeprazole.
■ Esomeprazole may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash
If an allergic reaction occurs, stop use and seek medical help right away.
Do not use if you have:
■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools
■ heartburn with lightheadedness, sweating or dizziness
■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
■ frequent chest pain
These may be signs of a serious condition. See your doctor.
Ask a doctor before use if you have:
■ had heartburn over 3 months. This may be a sign of a more serious condition.
■ frequent wheezing, particularly with heartburn
■ unexplained weight loss
■ nausea or vomiting
■ stomach pain
Ask a doctor or pharmacist before use if you are:
■ taking a prescription drug. Acid reducers may interact with certain prescription drugs.
Stop use and ask a doctor if:
■ your heartburn continues or worsens

Drug Facts (continued)

Inactive ingredients acetone, alcohol, amino methacrylate copolymer, ascorbic acid, benzyl alcohol, cetyl alcohol, colloidal silicon dioxide, croscopolone, FD&C blue no. 1 aluminum lake, FD&C blue no. 2 aluminum lake, flavor, hypromellose, hypromellose phthalate, isopropyl alcohol, mannitol, microcrystalline cellulose, modified starch, polysorbate 80, pregelatinized starch, silicon dioxide, sodium stearate, sodium stearyl fumarate, sorbitol, sucralose, sugar spheres, talc, titanium dioxide, triacetin, triethyl citrate

Questions or comments? 1-800-XXX-XXXX weekdays XXX AM to XXX PM EST

■ you need to take this product for more than 14 days
■ you need to take more than 1 course of treatment every 4 months
■ you get diarrhea
■ you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions
■ adults 18 years of age and older
■ this product is to be used once a day (every 24 hours), every day for 14 days
■ may take 1 to 4 days for full effect
14-Day Course of treatment
■ take 1 tablet before eating in the morning
■ do not crush or chew tablets
■ place the tablet on tongue; tablet disintegrates, with or without water.
The tablets can also be swallowed whole with water.
■ take every day for 14 days
■ do not take more than 1 tablet a day
■ do not use for more than 14 days unless directed by your doctor
■ do not take this medicine with alcohol
Repeated 14-Day Course (if needed)
■ you may repeat a 14-day course every 4 months
■ do not take for more than 14 days or more often than every 4 months unless directed by a doctor
■ children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information
■ read the directions and warnings before use
■ keep the carton. It contains important information.
■ store at 20-25°C (68-77°F); keep product out of high heat and moisture
■ store in the original package

Made in Israel
Manufactured by
Dexel Pharma Technologies Ltd.
10 Hakdima St. Yokneam 2069200, Israel

***This product is not manufactured or distributed by GSK, distributor of Nexium® 24HR**

STANDART FORMAT

TYPE SIZES:
TITLE: 9 pt Helvetica Bold Cond. Oblique
TITLE (continued): 7.5 pt Helvetica Bold Cond. Oblique
(continued) 7.5 pt Helvetica Medium Cond.
HEADINGS: 8 pt Helvetica Bold Cond. Oblique
SUBHEADINGS: 6 pt Helvetica Bold Cond. Oblique
TEXT: 6 pt Helvetica Medium Cond.
LEADING: 6.5 pt
BULLETS: 5 pt Square with 2 M/S spacing between statements
TELEPHONE #: 6.5 pt Helvetica Bold Cond.
HEAVY LINES: 1.5 pt
HAIRLINES: 0.5 pt

DIMENSIONS: 120 x 58 x 94 mm

This is a representation of an electronic record that was signed electronically. Following this are manifestations of any and all electronic signatures for this electronic record.

/s/

VALERIE S PRATT
05/11/2022 02:08:36 PM